





**Legenda**

- Van 0.0 tot 29.0 [Km/h]
- Van 29.0 tot 49.0 [Km/h]
- Van 49.0 tot 59.0 [Km/h]
- Van 59.0 tot 69.0 [Km/h]
- Van 69.0 tot 79.0 [Km/h]
- Van 79.0 tot 99.0 [Km/h]
- Van 99.0 tot 109.0 [Km/h]
- Van 109.0 tot 150.0 [Km/h]








**Legenda**


-  referentiewegdek
-  ZSA-SD
-  1L ZOAB
-  Overige verhardingen













**Legend**

- Band Widths  
Intensiteiten etmaal mvt
- 0 - 4000
  - 4000 - 8000
  - 8000 - 12000
  - 12000 - 16000
  - 16000 - 20000
  - > 20000





Intensiteiten 2015, etmaal, motorvoertuigen  
Regio Twente

Description AML102/Hnr  
Date 18-06-2010  
Company Goudappel Coffeng BV



**Intensiteiten 2020 variant 4, etmaal, motorvoertuigen**  
 Regio Twente

Description AML102/Hnr  
 Date 17-06-2010  
 Company Goudappel Coffeng BV



# Intensiteiten 2020 variant 3, etmaal, motorvoertuigen

Regio Twente

Description AML102/Hnr  
Date 17-06-2010  
Company Goudappel Coffeng BV