

Oude Situatie

	Verharding	Gravel	Gras	Gebouwen	Water
1	1505	1a 1238	5793	352	3940
2	3456		6572	247	42
3	427	Kunstgras	7229	312	195
4	341	1238	816	163	795
5	317	7266		130	1355
6	1668			15	90
7	1836			17	52
8	507			89	198
9	190			74	660
10	80			34	997
11	424			34	78
12	676			12	797
13	289			152	816
14	111			241	210
15	518				102
16	154				55
17	344				
18	14				Zwembad
19	44				1315
20	333				65
21	644				
22	42				
23	1732				
24	702				
25	298				
26	276				
27	219				
28	487				
29	95				
30	59				
Totaal	17788	8504	20410	1872	11762

Nieuwe Situatie

	Verharding	Gravel	Gras	Gebouwen	Water
1	1071	1a 1238	7776	247	141
2	764		2700	312	134
3	370	7776		1968	56
4	919	1238	582	700	61
5	1780	8701	904	20	3930
6	2419		718	130	1466
7	5850			96	2561
8	542			235	1482
9	190			241	405
10	80			152	373
11	440			12	252
12	553			27	85
13	530			56	109
14	1202			15	134
15	740				476
16	1200				1004
17	448				282
18	1546				95
19	686				1258
20	1647				Zwembad
21	347				1315
22	553				65
23	352				
Totaal	24229	17715	12680	4211	15684
Oude situatie	17788	8504	20410	1872	11762
Verschil	6441	9211	-7730	2339	3922
factor	100%	30%		100%	
totaal	6441	2763,3		2339	
benodigde compensatie	1404	602		510	2516
vrijstelling					500
balans					2016

* Formule watercompensatie WSRL 436 x toename verhard oppervlak in m2 / 10.000 / 0,2

waarbij de 1e 500m2 vrijgesteld is van compensatie