

IDNR	bronnen		EP-diameter	EP-uittree	E-vergund
	E-max	E-min			
	x-coord.	y-coord.	EP-hoogte	Gem.geb.hoogte	
5529	196154	372360	6	7263	11
5530	196151	372378	6	10031	11A
5534	196333	372434	6	25956	14
5410	197444	372973	6	59655	1
5502	196871	373353	6	3011	15
5549	195816	372386	6	10082	67
5409	195272	372089	6	3560	7
5426	197004	374456	6	2052	109
5503	196852	374578	11	15350	121
5452	196708	374921	6	30540	110
5526	196530	374317	6	7200	35
5527	197377	374829	6	4860	88
5381	196891	375287	6	14232	14
5561	196917	375353	3.76	14150	15
5408	197148	375496	6	649	19
7922	197131	375577	6	75	20
5434	196578	375062	6	19140	8
5579	195887	374370	6.18	48834	18A
5501	195162	375337	6	10416	41B
5560	194925	375531	3.56	59848	43
5570	195145	375108	6	1057	38
5552	195243	375395	6	48998	44
5571	195376	375424	6	31966	46
5459	195578	375542	6	10946	52
5393	195459	375260	6	3082	1
5453	194926	375928	6	28164	11
5513	194415	374527	6	62528	2C
5423	194120	374988	6	11461	5
5471	194331	372252	6	11333	22
5446	194512	372458	6	38906	30
5546	194121	372715	6	6682	16
7919	194125	372783	6	11385	17
5510	197929	372242	6	5049	65
6360	197980	372365	6	2	24

Identifier	X-coördinaat	Y-coördinaat	gevoelige objecten		Plaats
			NORM-OU	Type Adres	
1	196098	373997	14	woning	1
2	196115	373999	14	woning	2
3	196107	373988	14	woning	3
4	196093	373988	14	woning	4
5	196079	374008	14	arbeidsmig	1
6	196089	374010	14	arbeidsmig	2
7	196097	374017	14	arbeidsmig	3
8	196087	374014	14	arbeidsmig	4

Cumulatiev belasting	op recepto zoals berekend		
ReceptID X-Y-coor	Geurnorm	lasting [OU/m3]	categorie
1 196098.(373997.0	14.000	6.300	goed
2 196115.(373999.0	14.000	6.355	goed
3 196107.(373988.0	14.000	6.178	goed
4 196093.(373988.0	14.000	6.209	goed
5 196079.(374008.0	14.000	6.681	goed
6 196089.(374010.0	14.000	6.631	goed
7 196097.(374017.0	14.000	6.771	goed
8 196087.(374014.0	14.000	6.688	goed